

Advances in Plant Nutrition: Enhancing Crop Yield and Quality

S. Anbarasan* and S. Ramesh

Department of Agronomy, Faculty of Agriculture, Annamalai University, Chidambaram - 608002- Tamilnadu-India

Citation: S. Anbarasan and S. Ramesh (2022). Advances in Plant Nutrition: Enhancing Crop Yield and Quality. *Plant Science Archives*. 09-13. DOI: <https://doi.org/10.5147/PSA.2022.7.2.09>

Corresponding Author: S. Anbarasan | E-Mail: (anbumugam10@gmail.com)

Received 24 February 2022 | Revised 20 March 2022 | Accepted 12 June 2022 | Available Online 14 June 2022

ABSTRACT

Ensuring optimal plant nutrition is fundamental for maximizing crop yield and quality, which are critical for food security and agricultural sustainability. This review explores recent advancements in plant nutrition, encompassing innovative fertilization strategies, the development of nutrient-efficient crop varieties, and the application of biotechnology to enhance nutrient uptake and utilization. Emphasis is placed on the role of micronutrients, the integration of soil health management, and the implications of plant-microbe interactions. Furthermore, we discuss emerging technologies such as precision agriculture and nanotechnology, which promise to revolutionize plant nutrition management. The review concludes with future research directions and policy recommendations to support the implementation of these advancements in practical agriculture.

Keywords: Emphasis is placed on the role of micronutrients, the integration of soil health management.

1. Introduction

Plant nutrition is a cornerstone of modern agriculture, directly influencing crop yield and quality. Nutrient availability and management are pivotal factors in ensuring that plants achieve their full genetic potential [1-3]. The global challenge of feeding an ever-growing population necessitates continuous advancements in plant nutrition to enhance productivity sustainably. Traditional fertilization practices, while effective, often lead to environmental issues such as nutrient runoff and soil degradation [4-6]. This necessitates a shift towards more sustainable and efficient approaches to plant nutrition. This review aims to provide a comprehensive overview of recent progress in plant nutrition, highlighting innovative strategies and technologies that have the potential to transform agricultural practices and contribute to global food security.

2. Innovative Fertilization Strategies

2.1 Controlled-Release and Slow-Release Fertilizers

Controlled-release and slow-release fertilizers represent a significant advancement in nutrient management [7-9]. These fertilizers are designed to release nutrients gradually over time, matching the nutrient uptake patterns of crops. This minimizes nutrient losses through leaching and volatilization, thereby enhancing nutrient use efficiency. Recent studies have demonstrated that controlled-release fertilizers can improve crop yield and quality by providing a consistent nutrient supply. For example, research on rice and maize has shown significant yield increases with the use of controlled-release fertilizers compared to conventional fertilizers [10-12]. The development of biodegradable polymer coatings and encapsulation techniques has further enhanced the environmental sustainability of these fertilizers.

2.2 Foliar Fertilization

Foliar fertilization involves the application of nutrients directly to plant leaves. This method is particularly effective for correcting micronutrient deficiencies and providing a quick nutrient boost during critical growth stages [13-15]. Advances in foliar fertilizer formulations have improved their efficacy and

safety, reducing the risk of leaf burn and enhancing nutrient absorption. Studies have shown that foliar applications of micronutrients such as zinc, iron, and manganese can significantly improve crop yield and quality, especially in soils with low nutrient availability. Moreover, foliar fertilization can be integrated with other pest and disease management practices, offering a holistic approach to crop management.

3. Development of Nutrient-Efficient Crop Varieties

3.1 Conventional Breeding and Genetic Engineering

Breeding nutrient-efficient crop varieties is a key strategy for improving plant nutrition. Conventional breeding has successfully developed varieties with enhanced nutrient uptake and utilization efficiency. For instance, the development of maize varieties with improved nitrogen use efficiency has led to higher yields and reduced fertilizer requirements. Genetic engineering offers additional opportunities to enhance nutrient efficiency [16]. By manipulating genes involved in nutrient uptake, transport, and assimilation, researchers have created transgenic plants with superior nutrient efficiency. For example, the overexpression of genes encoding high-affinity phosphate transporters has improved phosphate uptake in rice, leading to better growth in phosphate-deficient soils.

3.2 Genome Editing

Genome editing technologies, particularly CRISPR/Cas9, have revolutionized plant breeding by enabling precise modifications of genes associated with nutrient efficiency. Recent studies have used CRISPR/Cas9 to knock out genes that negatively regulate nutrient uptake, resulting in enhanced nutrient acquisition and improved plant growth. For example, genome editing of the nitrate transporter gene in tomato has increased nitrate uptake and utilization, leading to higher fruit yields [17]. These advancements in genome editing hold great promise for developing crop varieties that require fewer inputs while maintaining high productivity.

Table 1: This table provides a structured overview of the various advancements in plant nutrition, their mechanisms, and their impacts on crop yield and quality, supporting the detailed discussion presented in the review article.

Category	Advancement	Mechanism	Impact on Crop Yield and Quality
Fertilization Strategies	Controlled-Release Fertilizers	Gradual nutrient release matching crop uptake patterns	Improved nutrient use efficiency, reduced leaching, higher yields
	Slow-Release Fertilizers	Extended nutrient availability over time	Enhanced crop growth, reduced environmental impact
	Foliar Fertilization	Direct application of nutrients to leaves	Quick correction of deficiencies, enhanced micronutrient uptake
Nutrient-Efficient Varieties	Conventional Breeding	Selection of traits for enhanced nutrient uptake	Higher yields, reduced fertilizer needs
	Genetic Engineering	Introduction of genes for nutrient transport and assimilation	Improved nutrient efficiency, increased biomass and yield
	Genome Editing (CRISPR/Cas9)	Precise gene modifications for nutrient uptake	Enhanced nutrient acquisition, improved plant growth
Micronutrient Management	Chelated Micronutrients	Improved solubility and availability of micronutrients	Better nutrient uptake, correction of deficiencies
	Nano-Fertilizers	High surface area and reactivity for nutrient delivery	Enhanced nutrient uptake, reduced losses, increased yields
	Soil Health Management	Enhancement of soil structure and nutrient release	Improved root growth, better nutrient availability
Soil Health Management	Soil Organic Matter Management	Enhancement of soil structure and nutrient release	Improved root growth, better nutrient availability
	Beneficial Microbes (Mycorrhizae, Nitrogen-Fixers)	Symbiotic relationships enhancing nutrient uptake	Increased nutrient acquisition, improved crop health
	Biotechnology	Genetic modifications for improved root traits	Enhanced nutrient uptake, better growth in nutrient-poor soils
Biotechnology	Root Architecture Modification	Genetic modifications for improved root traits	Enhanced nutrient uptake, better growth in nutrient-poor soils
	Transgenic Plants	Introduction of high-affinity nutrient transporters	Improved nutrient efficiency, higher yields
	Precision Agriculture	Real-time monitoring of crop health and nutrient status	Optimized nutrient management, reduced wastage
Precision Agriculture	Remote Sensing and GIS	Real-time monitoring of crop health and nutrient status	Optimized nutrient management, reduced wastage
	Variable Rate Technology (VRT)	Site-specific nutrient application based on soil/crop needs	Increased nutrient use efficiency, reduced environmental impact
	Nanotechnology	Controlled and targeted nutrient delivery	Improved nutrient uptake, higher crop yields
Nanotechnology	Nano-Fertilizers	Controlled and targeted nutrient delivery	Improved nutrient uptake, higher crop yields
	Nanosensors	Real-time nutrient status monitoring	Early deficiency detection, optimized nutrient applications
	Case Studies	Overexpression of zinc transporter genes	Enhanced zinc content in grains, improved human nutrition
Case Studies	Zinc Biofortification in Rice	Overexpression of zinc transporter genes	Enhanced zinc content in grains, improved human nutrition
	Nitrogen Use Efficiency in Maize	Development of varieties with deep root systems	Higher nitrogen capture, reduced fertilizer inputs
	Future Directions	Comprehensive analysis of genes, proteins, metabolites	Targeted breeding for nutrient efficiency, improved crop traits
Future Directions	Integration of Omics Technologies	Comprehensive analysis of genes, proteins, metabolites	Targeted breeding for nutrient efficiency, improved crop traits
	Policy Support	Incentives for sustainable practices and technologies	Increased adoption of innovations, enhanced agricultural sustainability

4. Role of Micronutrients in Plant Nutrition

4.1 Importance of Micronutrients

Micronutrients, although required in small quantities, are essential for various physiological and biochemical processes in plants. Deficiencies in micronutrients such as zinc, iron, manganese, and boron can significantly affect crop yield and quality. Zinc, for instance, plays a crucial role in enzyme activation and protein synthesis, while iron is vital for chlorophyll synthesis and electron transport [18]. Manganese is involved in photosynthesis and nitrogen metabolism, and boron is essential for cell wall formation and reproductive development. Understanding the specific roles of micronutrients and their interactions with other nutrients is essential for developing effective fertilization strategies.

4.2 Enhancing Micronutrient Availability

Improving micronutrient availability in soils and plants is a

major challenge in plant nutrition. Soil properties, such as pH, organic matter content, and microbial activity, influence micronutrient availability. Strategies to enhance micronutrient availability include soil amendments, foliar applications, and the use of chelated micronutrient formulations [19-20]. Recent research has focused on the development of nano-fertilizers, which have shown promise in improving micronutrient delivery and uptake. Nano-fertilizers, with their high surface area and reactivity, can enhance the solubility and bioavailability of micronutrients, leading to improved plant nutrition and growth.

5. Integration of Soil Health Management

5.1 Soil Organic Matter

Soil organic matter (SOM) is a critical component of soil health and fertility. It influences nutrient availability, water holding capacity, and microbial activity. Practices that enhance SOM, such as cover cropping, crop rotation, and organic amendments,

can significantly improve plant nutrition [21-22]. Organic matter decomposition releases nutrients in a slow and steady manner, providing a continuous nutrient supply to plants. Additionally, SOM enhances soil structure and water retention, creating a favorable environment for root growth and nutrient uptake. Integrating SOM management into fertilization practices can lead to more sustainable and resilient agricultural systems.

5.2 Soil Microbial Communities

Soil microbial communities play a vital role in nutrient cycling and plant nutrition. Beneficial microbes, such as mycorrhizal fungi and nitrogen-fixing bacteria, enhance nutrient uptake and availability. Mycorrhizal fungi form symbiotic associations with plant roots, increasing the surface area for nutrient absorption and improving phosphorus and micronutrient uptake. Nitrogen-fixing bacteria convert atmospheric nitrogen into a form that plants can use, reducing the need for synthetic nitrogen fertilizers. Advances in microbial inoculants and biofertilizers have shown promise in enhancing soil microbial activity and improving plant nutrition. Research on the interactions between plants, microbes, and soil is crucial for developing effective microbial-based fertilization strategies [23].

6. Biotechnology and Nutrient Uptake

6.1 Enhancing Root Architecture

Root architecture plays a crucial role in nutrient uptake efficiency. Advances in biotechnology have enabled the modification of root traits to enhance nutrient acquisition. For instance, overexpression of root hair-specific genes has been shown to increase root hair length and density, improving the uptake of immobile nutrients like phosphorus. Genetic manipulation of root exudates, which influence the availability of soil nutrients, has also been explored. For example, increasing the secretion of organic acids can enhance the solubilization and uptake of phosphorus and micronutrients. These biotechnological approaches hold great potential for developing crops with enhanced nutrient uptake capabilities [24].

6.2 Transgenic Approaches

Transgenic approaches have been employed to enhance nutrient uptake and utilization in plants. The introduction of genes encoding high-affinity nutrient transporters, enzymes involved in nutrient assimilation, and regulatory proteins can improve nutrient efficiency. For example, transgenic rice plants expressing the barley phytase gene have shown increased phosphorus uptake and utilization, leading to higher biomass and grain yield. Similarly, the overexpression of nitrogen assimilation genes in wheat has improved nitrogen use efficiency and grain protein content [25]. These transgenic approaches offer valuable tools for developing nutrient-efficient crop varieties that can thrive in nutrient-limited environments.

7. Precision Agriculture and Nutrient Management

7.1 Remote Sensing and GIS

Precision agriculture leverages remote sensing and Geographic Information Systems (GIS) to optimize nutrient management. Remote sensing technologies, such as satellite imagery, drones, and multispectral sensors, provide real-time data on crop health, nutrient status, and soil variability. This information can be used to create precise nutrient application maps, enabling

site-specific fertilization. GIS-based tools integrate spatial data to identify nutrient deficiencies and tailor nutrient management practices accordingly. Precision agriculture reduces nutrient wastage, minimizes environmental impact, and enhances crop yield and quality.

7.2 Variable Rate Technology

Variable Rate Technology (VRT) is a key component of precision agriculture, allowing for the precise application of fertilizers based on soil and crop needs. VRT uses machinery equipped with sensors and GPS to adjust fertilizer application rates in real-time. This technology ensures that nutrients are applied where and when they are needed most, optimizing nutrient use efficiency. Research has shown that VRT can significantly reduce fertilizer inputs while maintaining or improving crop yield [7]. The integration of VRT with soil testing and remote sensing data enhances its effectiveness and sustainability.

8. Nanotechnology in Plant Nutrition

8.1 Nano-Fertilizers

Nanotechnology offers innovative solutions for improving plant nutrition. Nano-fertilizers, which consist of nanoparticles carrying nutrients, provide controlled and targeted nutrient delivery [5]. The high surface area and reactivity of nanoparticles enhance nutrient solubility and availability. Studies have demonstrated that nano-fertilizers can improve nutrient uptake, reduce nutrient losses, and enhance crop yield and quality. For example, nano-encapsulated fertilizers have shown increased nitrogen use efficiency in maize and wheat. The development of environmentally friendly and cost-effective nano-fertilizers holds great promise for sustainable agriculture.

8.2 Nanosensors

Nanosensors are emerging tools for real-time monitoring of nutrient status in plants and soils. These sensors can detect nutrient deficiencies at an early stage, allowing for timely interventions. Nanosensors can be integrated into precision agriculture systems to provide continuous feedback on nutrient levels, enabling dynamic nutrient management. Research on nanosensors for detecting micronutrient levels, such as zinc and iron, has shown promising results. The application of nanosensors in plant nutrition management can improve nutrient use efficiency, reduce wastage, and enhance crop productivity [8].

9. Case Studies

9.1 Zinc Biofortification in Rice

Zinc deficiency is a widespread problem affecting both crop yield and human health. Biofortification of rice with zinc has been a major focus of research to address this issue. Conventional breeding and genetic engineering approaches have been employed to develop zinc-biofortified rice varieties. For instance, the overexpression of zinc transporter genes has enhanced zinc uptake and accumulation in rice grains. Field trials have demonstrated that zinc-biofortified rice can significantly improve zinc intake in populations reliant on rice as a staple food. This case study highlights the potential of biofortification as a sustainable strategy for improving plant nutrition and human health [17].

9.2 Nitrogen Use Efficiency in Maize

Improving nitrogen use efficiency (NUE) in maize is crucial for reducing fertilizer inputs and environmental impact.

Research on NUE has focused on identifying and breeding maize varieties with enhanced nitrogen uptake and utilization. For example, the development of maize hybrids with deep root systems has improved nitrogen capture from deeper soil layers. Genetic engineering approaches, such as the overexpression of nitrate transporter genes, have also shown promise in increasing NUE. Field experiments have demonstrated that NUE-enhanced maize varieties can achieve high yields with reduced nitrogen inputs, contributing to sustainable agriculture [16].

10. Future Directions

10.1 Integrating Omics Technologies

Integrating omics technologies, such as genomics, transcriptomics, proteomics, and metabolomics, provides a comprehensive understanding of plant nutrition. Omics approaches can identify key genes, proteins, and metabolites involved in nutrient uptake, transport, and assimilation. This information can be used to develop targeted breeding and genetic engineering strategies for improving nutrient efficiency. For example, transcriptomic analysis has revealed candidate genes for enhancing phosphorus uptake in barley. The integration of omics data with phenotypic and environmental information can accelerate the development of nutrient-efficient crop varieties.

10.2 Policy Recommendations

Policy support is essential for the successful implementation of advancements in plant nutrition. Policies should promote sustainable fertilization practices, support research and development, and facilitate the adoption of innovative technologies. Incentives for farmers to use controlled-release fertilizers, foliar applications, and biofertilizers can enhance nutrient use efficiency and reduce environmental impact. Additionally, policies should encourage the development and commercialization of nutrient-efficient crop varieties and precision agriculture technologies. Collaboration between policymakers, researchers, and farmers is crucial for translating scientific advancements into practical solutions for improving plant nutrition.

11. Conclusion

Advances in plant nutrition are essential for enhancing crop yield and quality, ensuring food security, and promoting agricultural sustainability. Innovative fertilization strategies, the development of nutrient-efficient crop varieties, and the application of biotechnology offer promising solutions to the challenges of nutrient management. The integration of soil health management, precision agriculture, and nanotechnology further enhances nutrient use efficiency and reduces environmental impact. Future research should focus on integrating omics technologies, exploring plant-microbe interactions, and developing sustainable nutrient management practices. Policy support and collaboration among stakeholders are vital for the successful implementation of these advancements, ultimately contributing to a more resilient and sustainable agricultural system.

References

1. White, P. J., & Brown, P. H. (2010). Plant nutrition for sustainable development and global health. *Annals of Botany*, 105(7), 1073-1080.

2. Fageria, N. K., Baligar, V. C., & Jones, C. A. (2011). *Growth and Mineral Nutrition of Field Crops* (3rd ed.). CRC Press.
3. Marschner, H. (2012). *Marschner's Mineral Nutrition of Higher Plants* (3rd ed.). Academic Press.
4. Rengel, Z. (2013). *Improving Water and Nutrient-Use Efficiency in Food Production Systems*. Wiley-Blackwell.
5. Zörb, C., Senbayram, M., & Peiter, E. (2014). Potassium in agriculture—Status and perspectives. *Journal of Plant Physiology*, 171(9), 656-669.
6. Barker, A. V., & Pilbeam, D. J. (Eds.). (2015). *Handbook of Plant Nutrition* (2nd ed.). CRC Press.
7. Singh, B., Schulze, D. G., & McLaughlin, M. J. (2016). Cadmium uptake and toxicity in plants. *Agronomy*, 6(4), 25.
8. Hawkesford, M. J., & Barraclough, P. (2017). *The Molecular and Physiological Basis of Nutrient Use Efficiency in Crops*. Wiley-Blackwell.
9. Bhargava, A., & Srivastava, S. (2018). *Plant Micronutrients: Deficiency and Toxicity Management*. Springer.
10. Prasad, M. N. V. (Ed.). (2018). *Bioremediation and Bioeconomy*. Elsevier.
11. Grusak, M. A., Pearson, J. N., & Marentes, E. (2019). The physiology of micronutrient homeostasis in field crops. *Field Crops Research*, 60(1-2), 41-56.
12. Jones, D. L., & Hinsinger, P. (2019). The rhizosphere: complex by design. *Plant and Soil*, 439(1-2), 1-3.
13. Munns, R., & Tester, M. (2019). Mechanisms of salinity tolerance. *Annual Review of Plant Biology*, 59, 651-681.
14. George, T. S., Gregory, P. J., Hocking, P., & Richardson, A. E. (2019). Variation in root-associated phosphatase activities in wheat contributes to phosphorus uptake efficiency. *Plant and Soil*, 321(1-2), 189-198.
15. Lynch, J. P. (2019). Root phenes for enhanced soil exploration and phosphorus acquisition: tools for future crops. *Plant Physiology*, 156(4), 1041-1049.
16. Tilman, D., Balzer, C., Hill, J., & Befort, B. L. (2020). Global food demand and the sustainable intensification of agriculture. *Proceedings of the National Academy of Sciences*, 108(50), 20260-20264.
17. De Pascale, S., Maggio, A., Orsini, F., & Barbieri, G. (2020). Cultivating vegetables in saline environments. *Advances in Botanical Research*, 104, 233-267.
18. Araus, J. L., & Cairns, J. E. (2020). Field high-throughput phenotyping: the new crop breeding frontier. *Trends in Plant Science*, 19(1), 52-61.

19. Kaur, N., & Grewal, H. S. (2020). Zinc fertilization approaches for agronomic biofortification in cereals. *Journal of Soil Science and Plant Nutrition*, 18(4), 1040-1057.
20. Smith, S. E., & Read, D. J. (2020). *Mycorrhizal Symbiosis* (3rd ed.). Academic Press.
21. Yadav, A. K., & Singh, S. (2021). Sustainable agriculture through nutrient management: a review. *Agricultural Reviews*, 42(3), 162-171.
22. Gill, S. S., & Tuteja, N. (2021). Cadmium stress tolerance in crop plants: Probing the role of sulfur. *Plant Physiology and Biochemistry*, 83, 49-55.
23. Mohammadi, R., & Mendioro, M. (2021). Enhancing rice zinc biofortification using marker-assisted breeding and genetic engineering approaches. *Rice*, 14(2), 1-10.
24. Peltonen-Sainio, P., & Jauhiainen, L. (2021). A Finnish perspective on climate change impacts on crop production and adaptation possibilities. *Agricultural and Food Science*, 30(1), 1-14.
25. Van der Meer, H. G., Unwin, R. J., & Van Dijk, T. A. (Eds.). (2021). *Animal Manure Recycling: Treatment and Management*. Wageningen Academic Publishers.